
## JEANNETTE LIGHTING GLASSWARE

SEP 18 1940

CATALOG No. 41

JEANNETTE SHADE & NOVELTY CO.

JEANNETTE, PENNSYLVANIA



# JEANNETTE COMMERCIAL AND RESIDENTIAL LIGHTING



## JEANNETTE SHADE & NOVELTY CO. JEANNETTE, PENNSYLVANIA, U.S.A.

#### Catalog No. 41

This catalog is issued as a preliminary to our new catalog No. 45 that is being prepared.


All prices subject to change without notice

Terms:—1% 15 days. Net 30 days. F. O. B. Factory

FEBRUARY 1st, 1940

#### Jeannette Madeira

## LOUVRE BOTTOM LINE FOR COMMERCIAL AND RESIDENTIAL LIGHTING




Enameled Globes have crystal clear set back Louvres.

Plain opal Globes are made from our highest quality Tensolite Glass.



No. 60/2307	Enameled Clear Louvres		No. 2407	Enameled Clear Louvres \$1.35 Plain Tensolite Opal 1.05 Width 7" Depth 6" Fitter 4" 75 watt Packed 12 to case. Wt. 18-lbs. Enameled Clear Louvres \$1.50 Plain Tensolite Opal 1.20 Width 8½" Depth 6½" Fitter 4"
		,		





	Price
No. 2314	Enameled Clear Louvres
No. 2414	Plain Tensolite Opal
	Width 14" Depth 91/2" Fitter 6"
	200 to 300 watt
1.	Packed 2 to case. Wt. 17-lbs.




	Price
No. 2312	Enameled Clear Louvres
No. 2412	Plain Tensolite Opal 3.15
	Width 12" Depth 81/2" Fitter 6"
	150 to 200 watt
	Packed 4 to case. Wt. 20-lbs.

## Jeannette Crusader

## FOR COMMERCIAL AND RESIDENTIAL LIGHTING






WITH
"TENSOLITE"

Made from our Highest Quality "TENSOLITE" glass.


Number	Width	Depth	Fitter	Wattage	No. to Case	Weight Packed	Price Each
2207	7"	6"	4"	75 to 100	12 only	18-lbs.	\$ .81
2208	81/2"	61/2"	4"	75 to 100	12 only	22-lbs.	.93
2212	1211	8½"	6"	150 to 200	4 only	15-lbs.	2.55
2214	14"	91/4"	6"	200 to 300	2 only	11-lbs.	3,30
2216	16"	934"	6"	300 to 500	2 only	14-1bs.	4.80

All fixtures are chromium finish

Metal holders will not be furnished without glass




Numbers listed banded can be furnished in, RED, GREEN, BLACK or BLUE. (Specify color desired)



No. 60/2207 Glass and Fixture ... \$2.16 75 watt size Weight 17-lbs. No. 60/2208 Glass and Fixture ... \$2.28 100 watt size. Weight 22-lbs. Packed individually 6 to case. Fixtures wired keyless

When banded is specified add 30c each.



		Pr	rice
No.	62/2202	Glass and Fixture less outlet\$2	.25
No.	62/2202	Glass and Fixture with outlet	.55
No.	2202	Glass only	.78


	<u>Price</u>
No. 62/2204	Glass and Fixture less outlet \$2.55
No. 62/2204	Glass and Fixture with outlet 2.85
	Packed individually 12 to case. Weight 30-lbs.
No. 2204	Glass only\$1.26
	Packed 24 to case. Weight 24-lbs. 75 watt size.
	When banded is specified add 39c each.
	Fixtures wired Pullchain

## Jeannette Commander

FOR COMMERCIAL LIGHTING

BETTER LIGHT

BETTER SIGHT



WITH TENSOLITE

#### MADE FROM OUR HIGHEST QUALITY TENSOLITE GLASS


See page No. 14 for test chart.

Number	Width	Depth	Fitter	Wattage	No. to case	Weight Packed	Price
2	81/211	7"	4"	75 to 100	12 only	20-lbs.	\$ .93
4	10"	71/2"	4"	100 to 150	8 only	20-lbs.	1.65
6	12"	811	6"	150 to 200	4 only	15-lbs.	2.55
8	14"	81/211	6 <sup>11</sup>	200 to 300	2 only	10-lbs.	3.30
10	16"	11"	6"	300 to 500	1 only	8-lbs.	4.80

#### Jeannette Baldwin

FOR COMMERCIAL LIGHTING

LIGHT CONDITIONING



WITH TENSOLITE

#### MADE FROM OUR HIGHEST QUALITY TENSOLITE GLASS


See page No. 15 for test chart.

Number	Width	Depth	Fitter	Wattage	No. to Case	Weight Packed	Price
1608	81/2"	61/2"	4"	75 to 100	12 only	20-1bs.	\$ .93
1610	10"	7"	4"	100 to 150	8 only	20-lbs.	1.65
1612	12"	71/2"	6"	150 to 200	4 only	15-lbs.	2.55
1614	14"	73/411	6"	200 to 300	2 only	10-lbs.	3.30
1616	16"	9"	6"	300 to 500	2 only	15-lbs.	4.80
1618	18"	103/8"	6"	300 to 500	1 only	12-lbs.	7.50
1620	20"	111/8"	8"	500 to 1000	1 only	15-lbs.	13.80


#### Jeannette Visualite

## SEMI-INDIRECT LIGHTING

#### Jeannette Intenslite




Fixture wired complete (Open top bowl) SEMI-INDIRECT



Cut out section showing how fixture is mounted in the open top bowl.

Made from our
Highest Quality Dense
"TENSOLITE" glass

AVERAGE LIGHT OUTPUT 87%



Fixture wired complete (Open top bowl) SEMI-INDIRECT

No.	Spread	Socket	Length	Weight	Price		
567	16"	Medium 200	30" watt size		\$12.15		
537	18"	Mogul 300 to	36" 500 watt		15.90		
FIXTURES FINISHED IN SATIN PEWTER							

_	140.	Spread	Socket	Length	Weight	Price
	1016	16"	Medium 200	30" watt size		\$9.75
	1018	18"	Mogul 300' to	36" 500 watt	15-lbs. size	13.50

FIXTURES FINISHED IN SATIN PEWTER

The SEMI-INDIRECT bowl is made from our highest quality DENSE OPAL "TENSOLITE" glass, which gives the maximum light output and the low surface brightness eliminates EYE STRAIN thereby conforming with the BETTER LIGHT, BETTER SIGHT program.

Above fixtures packed 1 to carton.

The SEMI-INDIRECT bowl is mounted with a three point suspension hanger which has two stationary arms and one that breaks which permits easy insertion of the fixture in the bowl. The arm that breaks has a set screw that after the fixture is inserted in the bowl, locks the arm firmly so the bowl hangs securely on the three point suspension. Ball-Swivel Screw collar construction throughout.

If the No. 537 or 567 is desired either LONGER or SHORTER than the STANDARD lengths as listed, add \$.75 per foot or fraction thereof, on Nos. 1016 and 1018 add 45c per foot or fraction thereof.

For LEVOLIER canopy switch add \$1.35 each. For LEVITON canopy switch add \$.75 each.


See page No. 16 for test chart.

## Jeannette Light-O-Day


FOR

#### COMMERCIAL LIGHTING

This line of globes with clear bottom louvres directs the light on the working plane, without glare and at the same time gives excellent general illumination. The same design made from our highest quality plain TEN-SOLITE opal glass gives a very high quality light, low surface brightness and no eye strain.



Price



No. 2612 Enameled with Clear Louvre Bottom....\$8.25

No. 2812 Plain Tensolite Opal.................6.75


Louvre 19" diameter.

Satin Aluminum with Chromium Highlights.

Globe. Width 12" Depth 8½" Fitter 6"

200 watt


Packed in units of 4. Wt. 27-lbs,



No. 2614


## Jeannette Premier

## COMMERCIAL AND RESIDENTIAL LIGHTING



Number	Spread	Depth	No. to Case	Weight Packed	Price
594	61/2"	41/2"	6	17-lbs.	\$2.70
	7	One	light fixtu	re.	
595	9"	5"	6	18-lbs.	3.30
599	11"	51/2"	6	25-lbs.	5.10
			light fixtu		

Fixtures finished in Chromium.




Number	Spread	Depth	No. to Case	Weight Packed	Price
596	13"	6"	1	6-lbs.	\$6.90
597	15"	61/2"	1	7-lbs.	8.70
		Three	light fixtu	re.	

Fixtures finished in Chromium.

#### Jeannette Durham

FOR COMMERCIAL LIGHTING

BETTER LIGHT




**BETTER** SIGHT

HIGHEST QUALITY OPAL GLASS

Number	Width	Depth	Fitter	Wattage	No. to Case	Weight	Price
1908	81/2"	61/2"	4"	75 to 100	12	20-lbs.	\$ .78
1910	10"	7"	4"	100 to 150	8	20-lbs.	1.41
1912	12"	71/2"	6 <sup>11</sup>	150 to 200	4	14-lbs.	2.22
1912-4	12"	71/2"	4"	100 to 150	4	14-lbs.	2.22
1914	14"	8"	6 <sup>11</sup>	150 to 200	2	11-lbs.	3.00
1916	16"	83/4"	6"	200 to 300	2	14-lbs.	3.93
1918	18"	10"	6"	300 to 500	1	12-lbs.	6.60

## Jeannette Crystal Bottom Units







No. 519 Plain White......\$3.30
Diameter 9½" Fitter 6" Depth 12"
Packed individually. Weight 7-lbs.

Price

Above units furnished with Chrome connecting band.







All opal top crystal bottom units are made from our highest quality "TENSOLITE" glass and the bottoms from our water clear crystal glass except No. 518-C which has a weather resisting enamel fired into the glass with the water clear bottom.

Price

\$2.04

## Jeannette Lighting



No. 920/3 Shown

Price
No. 920/3 Globe and Fixture\$2.70 Packed individually 6 to case.
Weight 17-lbs.
No. 920 Globe only 1.35 Packed 12 to carton.
Weight 14-lbs.
No. 920/1 Globe and Louvre 2.40 Packed individually 6 to case.
Weight 21-lbs.
No. 920/2 Globe, Louvre and Fixture 3.75
Packed individually 6 to case. Weight 26-lbs.
Globe-Width 5 " Depth 4½" Fitter 4"
Louvre 9½" wide—60 watt

Fixtures Chromium finish wired keyless



No. 3608		<b></b>				
No. 3608	Banded					
Width 81%	" Danth	71/"	Fi	44.	 /	ď

Price

\$1.65 1.95

Width 8½" Depth 150 watt. Packed 12 to case. Weight 26-lbs. Furnished in RED, GREEN, BLUE or BLACK bands. (Specify color desired)




No. 921/2 Shown  Price  No. 921/2 Globe, Louvre and Fixture\$3.90
Fixture\$3.90
Fixture\$3.90
Packed individually 6 to case.
Weight 29-lbs.
No. 921 Globe only 1.50
Packed 12 to carton.
Weight 16-lbs.
No. 921/1 Globe and Louvre 2.55
Packed individually 6 to case.
Weight 24-lbs.
· · · · · · · · · · · · · · · · · · ·
No. 921/3 Globe and Fixture 2.85
Packed individually 6 to case.
Weight 20-!bs.
Globe-Width 5" Depth 6" Fitter 4"
Louvre is 11 " wide—100 watt
Fixtures Chromium finish wired keyless

## Jeannette Harvard

COMMERCIAL LIGHTING





**BETTER SIGHT** 

SEMI-INDIRECT ENCLOSING GLOBES with WEATHER RESISTING ENAMEL BOTTOM FUMED TOP

Number	Width	Depth	Fitter	Wattage	No. to Case	Weight Packed	Price
2108	81/2"	61/2"	4"	75 to 100	12 only	23-1bs.	\$2.13
2110	10"	7"	4"	100 to 150	8 only	25-lbs.	3.24
2112	12"	71/2"	6 <sup>11</sup>	150 to 200	4 only	18-lbs.	4.26
2114	14"	<b>7</b> 3⁄4"	6"	200 to 300	2 only	13-lbs.	6.51
2116	16"	9"	6"	300 to 500	2 only	19-lbs.	8.22
2118	18"	1038"	6"	300 to 500	1 only	14-lbs.	11.70
2120	20"	111/8"	8 "	500 to 1000	1 only	17-1bs.	24.09

## Jeannette Super-Cavalcade

#### FEATURING NEOLINE and LOUVRE BOTTOMS

The set back crystal louvre bottoms directs the light on the working plane without glare. "NEOLINE" is entirely different in effect than any other type lining and is especially adaptable when a decorative effect is desired, for Kitchen, Bathroom and Breakfast room.



	Price
No. 53/2706	Glass and Fixture\$2.25 Packed individually 12 to case.
	60 watt size. Weight 30-lbs.
No. 2706	Glass only\$1.20 Width $6\frac{1}{2}$ " Depth 5" Fitter $3\frac{1}{4}$ ".
	Packed 12 to case. Weight 17-lbs. When neoline is specified add 30c each



	Price
No. 60/2708	Glass and fixture\$2.85
	Packed individually 6 to case.
	100 watt size. Weight 24-lbs.
No. 2708	Glass only\$1.50 Width 8½" Depth 6½" Fitter 4".
	Packed 12 to case. Weight 26-lbs. When neoline is specified add 30c each

All fixtures wired keyless chromium finish.

Metal holders will not be furnished without glass



All numbers can be furnished
with NEOLINE
in RED, GREEN, BLUE or BLACK
(Specify color desired)

	Price
No. 60/917	Glass and fixture\$2.70
· ·	75 watt size. Weight 18-lbs.
No. 60/918	Glass and fixture\$3.00
	100 watt size. Weight 24-lbs.
	Packed individually 6 to case.
	When realine is specified add 30c each



	Price
No. 918	\$1.65
No. 918	Neoline
	Width 9" Depth 63/4" Fitter 4". 100 watt.
	Packed 12 to case. Weight 26-lbs.



No. 917 No. 917	Price   \$1.35   Neoline   1.65
	Width 7" Depth 53/4" Fitter 4". 75 watt Packed 12 to case. Weight 18-lbs.

#### Jeannette Cavalcade

#### FEATURING NEOLINE



ENAMEL BOTTOM
CLEAR FLUTED TOP
CLEAR CENTER
IN BOTTOM



				Price
No. 678-EC				\$1.11
	Neoline			
	Diameter 61/2"			
	Open bottom	for lamping		
	50 or	100 watt		
	Packed 12 to ca	se. Weight	18-lbs.	

## NEOLINE is furnished in RED, GREEN, BLUE or BLACK (Specify color desired)

The "CAVALCADE" has proven to be a very popular line for efficiency without eyestrain, for Kitchen, Bathroom and Breakfast room.

Featuring "NEOLINE" which has an effect different than any other type banding which gives the decorative effect desired.



	Pride
No. 681-EC	\$1.59
No. 681-EC	Neoline
	Diameter 8½" Fitter 4" Depth 6½"
	100 watt
	Packed 12 to case. Weight 28-lbs.



	Price
No. 682-EC	\$4.74
No. 682-EC Neoline	5.52
Diameter 13" Fitter 6" Depth 9"	
200 or 300 watt	
Packed 2 to case. Weight 12-lbs.	

#### Jeannette Winston

#### SEMI-INDIRECT FOR DECORATIVE BEDROOM LIGHTING



		Price
No. 842/56 Ivory		 \$3,30
No. 842/56 Peac		
No. 842/56 Gree	≥ก	 3.30
No. 842/56 Blue		 3.30

Fixture finished in Ivory
Spread 11½" Depth overall 9½"
Packed individually 4 to case
Weight 22-lbs.
Fixture is THREE CHAIN type.



											Price
No. 913/56	lvory	 		 	 			٠	٠		\$2.85
No. 913/56	Peach	 	 	 	 	 					2.85
No. 913/56	Green	 	 	 	 	 		٠			2.85
No. 913/56	Blue	 	 	 							2.85

Fixtures finished in Ivory
Spread 10½" Depth overall 9½"
Packed individually 4 to case.
Weight 20-lbs.
Fixture is THREE CHAIN type

These bedroom fixtures afford a variety of colors that will satisfy the most critical. The blending of the colors is the last word in decorative, efficient lighting. The semi-indirect feature gives the quality of light desired to eliminate eyestrain and at the same time, the proper illumination recommended for BETTER LIGHT, BETTER SIGHT. The colors are fired into the glass and will not fade or deteriorate.



																	Pri	ce
No.	793	55	lvory										٠			. \$	2.5	55
No.	793,	55	Peach Green			 		 	٠	٠		٠	٠	٠	 ٠	•	2.5	55
No.	793	55	Blue			 		 									2.5	55

Fixtures finished in Ivory
Spread 10½" Depth overall 9½"
Packed individually 4 to case.
Weight 20-lbs.
Fixture is THREE CHAIN type.



	<u>Price</u>
No. 785/5	lvory\$2.25
No. 185/5	Peach
No. 785/5	Green 2.25 Blue 2.25

Fixtures finished in Ivory
Spread 9½" Depth overall 8½"
Packed individually 6 to case.
Weight 29-Ibs.
Fixture is THREE CHAIN type.

## Jeannette Lighting



#### SEMI-INDIRECT LIGHTING

For Bedroom and Breakfast room. Fixtures Ivory Finish. Three chain style.



\$3.00 No. 950

Finishes:—Mellowtone, Rose, Green, Ivory and Blue. (Specify finish desired)

100 Watt Spread 101/2" Depth 91/2" Packed Individually 4 to case. Weight 20 lbs.

\$3.00 Finishes:-Mellowtone, Rose, Green, Ivory and Blue. (Specify finish desired) Spread 101/2" Depth 91/2" 100 Watt

Packed Individually 4 to case. Weight 20 lbs.

The above numbers (950 & 951) are furnished in our newest MELLOWTONE glass with golden hi-lites combined with a warm mellow light which provides a fixture for any decorative combination. The other colors listed enables you a selection to match in harmony with any color scheme.

All fixtures are wired keyless. Metal holders not furnished without glass



Items listed banded are furnished in RED, GREEN, BLUE or BLACK (Specify color desired)

Spread  $6\frac{1}{2}$ " Depth  $4\frac{1}{2}$ " 75 Watt. One light Chrome fixture. Packed individually 6 to case. Weight 15 lbs.



As Shown

No. 2707 One light ..... \$3.30

Banded \$3.60

Spread 6½" Depth 4" 60
Packed Individually 6 to case.
Weight 15 lbs. 60 Watt

No. 2709 Two light . . . . . \$4.80 \$5.10 Spread 8½" Depth 4½" 120 Watt Packed Individually 6 to case. Weight 21 lbs.


No. 2711 Three Light .... \$6.45 Spread 10½" Depth 4¾" 180 Watt Packed Individually 6 to case. Weight 33 lbs. Fixtures Chrome finish.

Note the shallowness of the above fixtures featuring the set back crystal louvres.

As Shown Banded \$2.85 \$3.15 No. 60/969 Packed Individually 6 to case. Weight 26 lbs. Chrome fixture No. 969 glass only ..... \$1.50 \$1.80 Width 81/2" Depth 71/2" Fitter 4" 150 Watt

Weight 32 lbs. Packed 12 to case. The above globe has a crystal recessed bottom which provides proper illumination without glare.

MANUFACTURED BY



## Jeannette Lighting







	Price
No. 115	\$ .63
	Diameter 6" Fitter $2\frac{1}{4}$ " Packed 12 to case. Weight 15-lbs.
No. 452	\$1.05

Diameter 8" Fitter 21/4" Packed 6 to case Weight 12-lbs.

Number	Fitter	Price
591	25/8"	\$1.41
	Diameter 938"	
554	25/8"	1.50
555	<b>2</b> 7⁄8"	1.50
	D: 101	

Diameter 10 All straight shanked fitter Packed 6 to case Weight 15-lbs.

Number	Fitter	Price
552	21/4"	\$1.50
553	31/4"	1.50
556	<b>2</b> 7/8"	1.50
	Diameter 10" Packed 6 to case Weight 15-lbs.	

#### ABOVE SHADES FOR THE I.E.S. TYPE LAMPS



OPAL RIBBED BALL

<u>Pric</u>
Black lines \$1.2
Green lines 1.20
(Specify color)
Diameter 6" Fitter 31/4"
Packed 27 to case
Weight 28-lbs.



OPAL HALF SHADE

Price No. 104 \$ .78 Fitter 214" Packed 36 to case Weight 30-lbs.



OPAL RIBBED BALL

	Price
No. 576	Black lines \$1.26
No. 576	Green lines 1.26
	(Specify color)
	Diameter 6" Fitter 314"
	Packed 27 to case
	Weight 28-lbs.



No. 429/145/C shown

Price



Price

No. 430 145/B shown.....

Price \$1.05

No. 425/145/C shown ......\$1.20 These shades are all cut by hand and can be furnished in the following finishes, at above listed price. Suffix the number with the letter indicating the finish you desire.

(Example—430/145/A all frosted plain top) Packed 24 to case. weight 12-lbs.

The letter "A" indicates the shade will be furnished all frosted plain top.
The letter "B" indicates the shade will be furnished all frosted crimped top.
The letter "C" indicates the shade will be furnished 3/4 frosted crimped top.
The letter "E" indicates the shade will be furnished 3/4 frosted plain top. The letter "K" indicates the shade will be furnished clear plain top.
The letter "M" indicates the shade will be furnished clear crimped top.

#### ELECTRICAL TESTING LABORATORIES

NEW YORK, N. Y.

REPORT NO. 134852

ORDER NO. 58216-S

PLATE NO. 27986

#### CANDLEPOWER DISTRIBUTION

NO.8 TENSOLITE UNIT\*

Rendered to Jeannette Shade and Novelty Company

180° 175°

Lamp - 200 Watts; 115 Volts; 3400 Lumens; PS30 Inside Frosted Gas-Filled Bulb; C-9 Filament; Medium Base; General Service.

Surface covering globe opening - reflection

factor 0.70.

White diffusing glass Weight - 2 lb. 4 oz.

LUMINAIRE DISTRIBUTION DATA										
	MEAN VERTICAL									
MID- ZONE ANGLES	ZONE AT OFEET LUMENS ZONE AT OFEET LUMENS									
180° ZEN.	207		90° HOR.	193						
175°	206	20	85°	199	217					
165°	203	57	75°	215	229					
155°	198	92	65°	241	239					
145°	191	120	55°	271	243					
135°	190	147	45°	297	230					
125°	186	167	35°	315	198					
115°	184	183	25°	325	150					
105°	184	195	15°	326	92					
95°	188	205	5°	324	31					
			O° NADIR	322						

	LIGHT	FLUX	VALUES				
ZONE	LUN	MENS	PER CENT TOTAL LUMENS	PER CENT			
	LAMP	LUMINAIRE	BARE LAMP	2,0, 00 0.			
0°-60°	934	944	28				
0°-90°	1742	1629	48				
90°-180°	1656	1186	35	8 <b>3</b>			
0°-180°	3398	2815	83				

LUMINAIRE BRIGHTNESS

125° 300 105° 200 uminaire 400 CANDLEPOWER PER SQUARE INCH

THE ARROWS INDICATE THE LOCATION AND ANGLE OF VIEW

D <u>E F G H I</u> LOCATIONS 2.0 3.6 1.8 1.8 2.8 3.2 3.6 2.2 3.4 1.6 \*E.T.L. Identification No.5376.

\*C. COMPUTED BY SISSUED April 11th, 1935. 2.1 CP, PER SQ. IN.

TESTED BY MC. PLOTTED BY MC. COMPUTED BY

APPROVED BY

IN CHARGE OF TEST

#### ELECTRICAL TESTING LABORATORIES

NEW YORK, N. Y.

REPORT NO. 133994

ORDER NO. 56686-S


PLATE NO. 27610

#### CANDLEPOWER DISTRIBUTION

NO.1614 TENSOLITE UNIT

Rendered to Jeannette Shade & Novelty Company

Lamp - 200 Watts; 115 Volts; 3400 Lumens; PS30 Inside Frosted Gas-Filled Bulb; C-9 Filament; Medium Base; General Service. Surface covering globe opening, reflection factor 0.70.




White diffusing glass. Weight - 2 lbs. 4 oz.

LUMINAIRE DISTRIBUTION DATA					
Mean Vertical					
MID- ZONE ANGLES	CANDLEPOWER AT 10 FEET	ZONAL LUMENS	MID- ZONE ANGLES	CANDLEPOWER AT 10 FEET	ZONAL LUMENS
180° IEN.	216		90° HOR.	169	
175°	211	20	85°	181	197
165°	228	65	75°	212	224
155°	212	98	65°	252	250
145°	190	119	55°	301	270
135°	174	135	45°	348	269
125°	159	143	35°	389	244
115°	152	151	25°	425	197
105°	151	160	15°	451	128
95°	161	176	5°	468	44
			O° NADIR	469	

LIGHT FLUX VALUES					
ZONE	Lumens		PER CENT TOTAL LUMENS	PER CENT	
	LAMP	LUMINAIRE	BARE LAMP	LICHI GOIPOI	
0°-50°	934	1152	34		
0°-90°	1742	1823	53.5	85	
90°-180°	1656	1067	31.5		
0°-180°	3398	2890	85		

LUMINAIRE BRIGHTNESS



CANDLEPOWER PER SQUARE INCH
THE ARROWS INDICATE THE LOCATION AND ANGLE OF VIEW

LOCATIONS A B C D E F G H I J K L M

CP. PER SQ. IN. 2.1 2.3 4.2 2.4 5.4 2.0 5.4 3.7 2.3 5.0 2.3 \*E.T.L. Identification No.4993.

TESTED BY URC PLOTTED BY MUT COMPUTED BY MW CHECKED BY MT ISSUED October 2nd, 1934.

APPROVED BY

Illiam T. Luttle ENGINEER IN CHARGE OF PHOTOMETRY

IN CHARGE OF TEST

#### ELECTRICAL TESTING LABORATORIES

NEW YORK, N. Y.

**REPORT NO. 134982** 

ORDER NO. 58494-S


PLATE NO. 28035

#### CANDLEPOWER DISTRIBUTION

NO.537 SEMI-INDIRECT BOWL\*

Rendered to Jeannette Shade and Novelty Company

Lamp - 300 Watts; 115 Volts; 5490 Lumens; PS35 Inside Frosted Gas-Filled Bulb; C-7A Filament; Mogul Base; General Service.




White Diffusing Glass Weight - 5 lbs. 5 oz.

LUMINAIRE DISTRIBUTION DATA					
Mean Vertical					
MID- ZONE ANGLES	CANDLEPOWER AT 10 FEET	ZONAL LUMENS	MID- ZONE ANGLES	CANDLEPOWER AT 10 FEET	ZONAL LUMENS
180° ZEN.	1420		90° Hor.	60	
175°	1390	129	85°	64	70
165°	1030	296	75°	83	88
155°	975	454	65°	107	106
145°	965	606	55°	134	120
135°	905	700	45°	162	125
125°	795	714	35°	186	117
115°	670	649	25°	210	97
105°	263	314	15°	226	64
95°	90.5	99	5°	233	22
			O° NADIR	233	
	LIGI	T FILE	X VALI	IES	

LIGHT FLUX VALUES					
ZONE	LUMENS		PER CENT TOTAL LUMENS	PER CENT	
	LAMP	LUMINAIRE	BARE LAMP		
0°-60°	1350	545	10		
0°-90°	2801	809	15	0.5	
90°-180°	2688	3961	72	87	
0°-180°	5489	4770	87		

LUMINAIRE BRIGHTNESS



CANDLEPOWER PER SQUARE INCH THE ARROWS INDICATE THE LOCATION AND ANGLE OF VIEW

A B C D E F G H I J K L M LOCATIONS

CP. PER SQ. IN. 0.5 0.6 2.2 2.6 0.5 2.6 1.1 0.5 2.4

\*E.T.L. Identification No.5399.

\*\*ET.L. Ident

APPROVED BY William T. Little
ENGINEER IN CHARGE OF PHOTOMETRY
M)

